

# PRODUCT DATA SHEET

## WSFA-2 Mixture (qualitative)

**Catalog No:** 1106

**Common Name:** water soluble fatty acid mixture

**Solubility:** water

**Storage:** room temperature

**Components:** acetic acid, propionic acid, isobutyric acid, n-butyric acid, isovaleric acid, and n-valeric acid

**Appearance:** liquid

### GC Conditions:

**Column:** Nukol

**Carrier Gas:** helium

**Make-up Gas:** nitrogen

**Split Ratio:** 100:1

**Oven Initial:** 140°C

**Detector (FID):** 220°C

**Linear Velocity:** 20cm/sec

**Flow Rate:** 40ml/min

**Vent Flow:** 70ml/min

**Program Rate:** isothermal

**Injector:** 220°C

### GC elution order:

1. Acetic acid
2. Propionic acid
3. Isobutyric acid
4. n-Butyric acid
5. Isovaleric acid
6. n-Valeric acid

### Application Notes:

This mixture contains several water-soluble fatty acids and is ideal for their identification by gas chromatography, mass spectrometry, and high performance liquid chromatography and is prepared from high purity stock materials.. Knowledge of the fatty acid content of bacteria can be of great benefit in understanding microbials and can be of great nutritional importance in animals and humans.<sup>1,2,3</sup> This is a qualitative mixture and should not be used for quantitative purposes.

### Selected References:

1. M. Or-Rashid, N. Odongo and B. McBride, "Fatty acid composition of ruminal bacteria and protozoa, with emphasis on conjugated linoleic acid, vaccenic acid, and odd-chain and branched-chain fatty acids" *Journal of Animal Science*, Vol. 85 pp. 1228, 2007
2. Y. Zhang, S. White, and C. Rock "Inhibiting Bacterial Fatty Acid Synthesis" *The Journal of Biological Chemistry*, Vol. 281(26) pp. 17541, 2006
3. N. Rozès et al. "A rapid method for the determination of bacterial fatty acid composition" *Applied Microbiology*, Vol. 3(17) pp. 126, 1993

This product is to be used for research only. It is not intended for drug or diagnostic use, human consumption or to be used in food or food additives. Matreya assumes no liability for any use of this product by the end user. We believe the information, offered in good faith, is accurate.