


PRODUCT DATA SHEET

Neutral Glycosphingolipid Mixture (qualitative)

Catalog No: 1505 **Solvent:** chloroform/methanol (2:1) **Components Concentration:** 1 mg/ml **Approximate Amounts** Source: natural, bovine and porcine Cerebrosides (galactosylceramides) Quantity: 1ml 40% Ceramide trihexosides (Gb₃) TLC System: chloroform/methanol/DI water 15% Globosides (Gb₄) 30% (65:24:4 by vol.) Lactosylceramides (Gb₂) 15% Storage: -20°C



Application Notes:

This standard contains four neutral glycosphingolipids for the qualitative identification of unknowns. The mixture is prepared from high purity stock material and contains sphingolipids having one, two, three, and four saccharides. Carbohydrate structures on these glycosphingolipids are synthesized by the sequential addition of monosaccharides by glycosyltransferases. Hence, globoside is derived from ceramide trihexoside which is derived from lactosylceramide which is derived from cerebroside. Glycosphingolipids are involved in many neuronal and degenerative diseases and are therefore being closely investigated in many research areas. This Matreya qualitative standard is intended for the use in verifying the identity of unknown samples and is not designed for the quantitative analysis.

Selected References:

- 1. A. Cremesti and A. Fischl "Current methods for the identification and quantitation of ceramides: An overview" Lipids, Vol. 35:9 pp. 937-945, 2000
- J. Bielawski et al. "Comprehensive Quantitative Analysis of Bioactive Sphingolipids by High-Performance Liquid Chromatography

 —Tandem Mass Spectrometry" Lipidomics, Vol. 579 pp. 443-467, 2010

This product is to be used for research only. It is not intended for drug or diagnostic use, human consumption or to be used in food or food additives. Matreya assumes no liability for any use of this product by the end user. We believe the information, offered in good faith, is accurate.